

**COMPACT.
 ROBUST.
 INTELLIGENT.
 EASY.**

Intelligent Connect

Automatic sensor recognition – making montages a thing of the past

PSG with 55 Channels

Up to 4 kHz sample rate/channel, 24 Bit EXG resolution



2.91 inch

Wireless Realtime Data Transfer & Remote Signal Check

Realtime wireless data transmission with all data backed-up on internal memory. Online signal check on smartphone and tablet

Intuitive Interface

Reduced to just what you need: Power, start and patient marker as well as status LEDs for the sensors


Small & Compact Design

One device fits all. Allowing ambulatory & stationary applications

The **SOMNOscreen® Eco** is our most powerful, compact & flexible diagnostic tool for polysomnography. Combining the best features from our world renowned SOMNOscreen® plus and the most innovative technologies from the SOMNOscreen® HD to create one of the simplest, powerful & robust PSG systems in the world – setting a new benchmark in sleep diagnostics.

Robust Design

- ◆ Signal check or bio-calibration either on the PC or directly at the patient's bedside with the app and tablet
- ◆ Intuitive and easy to use: start the recording straight from the device
- ◆ LEDs indicate connected/missing sensors



Versatility – In a compact design

- ◆ Basic Respiratory Screening up to full PSG recording with/without video
- ◆ CPAP / BiPAP / SV Titration
- ◆ 32 Channel EXG-Headbox available



Docking Station

- ◆ Fast and easy recharging of Li-Ion battery
- ◆ Enables fast data transfer times
- ◆ Virtual docking station on the computer screen shows device status

For adult and pediatric use.
For pediatric use only in a hospital/clinic environment.

AUTOMATIC, FREE SOFTWARE UPDATES



Ultra HD Signal Quality

- ◆ Up to 4 kHz sample rate per channel
- ◆ Up to 24 Bit resolution EXG channels
- ◆ Innovative low noise technology
- ◆ Wireless data transfer and continuous impedance check
- ◆ Backup of recorded data on memory card – No loss of data even if the patient is moving around



Intelligent Connect

- ◆ Automatic sensor recognition – no montages required – no mix up of sensors
- ◆ Freely selectable channels – saving time during application
- ◆ Change or add sensors during a recording

you will never miss new features

